Subject Index: Volume 17, 2002

Note: Page numbers followed by (ab) indicate abstracts.

ABG hip arthroplasty
in young patients, medium-term results of, 184
Abscess
psoas, in infected total hip arthroplasty, 230
Acetabular alignment guide
mechanical, *versus* computer placement, 359
Acetabular bone ingrowth arthroplasty
long term results of, 240 (ab)
Acetabular bone loss
impaction grafting for, 251 (ab)
Acetabular components
cemented
all-polyethylene, insertion of, acetabular preparation during, 782
metal backed, long-term follow-up study of, 241 (ab)
cementless
fixation of, in revision hip surgery, 250 (ab)
hemispherical spiked, in primary total hip arthroplasty, 261 (ab)
removal and revision of, for polyethylene failure, 262 (ab)
constrained, revision total hip arthroplasty using, 252 (ab)
custom, for acetabular deficiency, 643
Harris-Galante
locking mechanism failure in, 507
polyethylene liner dissociation in, 78
polyethylene
insertion of, acetabular preparation during, 782
wear in, effect of head size and crosslinking on, 247 (ab)
revision of, femoral neck taper in, protection of, 497
stress fracture of acetabulum adjacent to, 117
titanium, plasma spray-coated, 259 (ab)
vertical positioning of, with inclinometer, 936
Acetabular cups
cementless metal-backed, and osteolysis pattern, 249 (ab)
hydroxyapatite-coated, aseptic loosening of, 519
and polyethylene access with retro-acetabular osteolysis, 248 (ab), 256 (ab)
press-fit, insertion of, impact biomechanics during, 349
Acetabular deficiency
custom acetabular components for, 643
Acetabular liners
constrained, failure of, 259 (ab)
design of, effect on contact stresses and range of motion, 256 (ab)
elevated-rim, stability of hip implants with, 289
polyethylene, revision of, with cemented polyethylene cup, 1055
Acetabular preparation
during cemented all-polyethylene acetabular component insertion, 782
Acetabular shell
fixed, cementation of polyethylene liner into, 245 (ab)
Acetabular sockets
press-fit, load transfer and fixation mode of, 926
Acetabulum
isolated revision of, follow-up study of, 255 (ab)
stress fracture of, adjacent to cementless acetabular component, 117
Acrylic block
antibiotic-impregnated, 619
versus functional spacer, 254 (ab)
Acute renal failure
after local gentamicin treatment, for infected total knee arthroplasty, 948
Alignment guide
mechanical, *versus* computer placement, 359
Allergy
cement, preoperative identification of, 788
Alumina ceramic prostheses
in severe rheumatoid arthritis, 1009
for total hip arthroplasty, 390
Ambulation. *See also* Walking
partial or full weight bearing, after cementless total hip arthroplasty, 813
Analgesia. *See specific drug or procedure*
Anesthesia. *See also specific drug or procedure*
lumbar and sciatic nerve blocks for, 499
Ankle brachial pressure index
effect on total knee arthroplasty outcome, 312
Ankylosing spondylitis
total hip arthroplasty in, 427
Anteroposterior-gliding rotating platform total knee arthroplasty
posterior cruciate ligament function in, 484
Anthropometry
of proximal tibia, for knee prosthesis design, 1028
Antibiotics. *See also specific drug*
cement spacers loaded with (*See* Cement spacers, antibiotic-loaded)
dental, and joint arthroplasty, 111
Anticoagulation. *See* Warfarin
Arterial occlusion
after total knee arthroplasty, 227
thrombectomy for, 670
Arthritis. *See also* Osteoarthritis; Rheumatoid arthritis
rheumatoid
postoperative C-reactive protein changes in, after total hip arthroplasty, 108
severe, ceramic YMCK total knee arthroplasty in, 1009

septic, of hip, after percutaneous femoral artery catheterization, 1074
Arthrodesis
using hybrid frame, for infected total knee arthroplasty, 129
Arthropathy
hemophilic, total knee arthroplasty for, long-term follow-up study of, 241 (ab)
Aspiration
delayed, for infected total knee arthroplasty, 615
AV Impulse Foot Pump, 446

Bacterial culture
femoral head, after total hip arthroplasty, 355
Balance
after total knee arthroplasty, 2
Balloon dilation
for arterial occlusion, after total knee arthroplasty, 227
Bearings
alumina ceramic, for total hip arthroplasty, 390
Bearing surface
of mobile bearing knee prostheses, roughness of, 713
Bi-Contact cementless total hip arthroplasty, 896
Biomechanics. *See also* Femoral rollback; Kinematics; Range of motion
effect of acetabular liner design on, 256 (ab)
impact, during insertion of press-fit acetabular cups, 349
of posterior-stabilizing designs, 627
Biosem II plug, 576
Bisurface knee
versus Insall/Burstein 2 Knee, 627
Block allografts
in revision total hip arthroplasty, 562
Blood flow
to lower limb, effect of total knee arthroplasty on, 882
Blood loss management
regional hypotension for, in high risk total hip arthroplasty, 262 (ab)
Blood salvage
perioperative, as alternative to predonating blood, 298, 1079 *(letter)*
Body weight
influence on total knee arthroplasty outcome, 315
Bone banks
femoral head culture in, 355
Bone-cement interface
effect of cement insertion techniques on, 579
endosteal bone resorption at, induced by tumor necrosis factor, 248 (ab)
Bone cutting errors
in total knee arthroplasty, 698
Bone-graft incorporation
impacted, histology of, 150
Bone grafts. *See also* Impaction grafting
block, in revision total hip arthroplasty, 562
irradiated, revision total hip arthroplasty with, femoral impaction grafting in, 834
Bone ingrowth
effect of demineralized bone matrix gel on, 402
Bone ingrowth arthroplasty
femoral and acetabular, long term results of, 240 (ab)
Bone loss
acetabular, impaction grafting for, 251 (ab)
caused by polyethylene failure, removal and revision of acetabular components for, 262 (ab)
severe
femoral impaction grafting in, 256 (ab)
porous-coated femoral revision for, 955
Bone matrix gel
demineralized, effect on bone ingrowth and porous implant fixation, 402
Bone mineral density
periprosthetic, dual-energy x-ray absorptiometry of, 49
Bone-prosthesis fixation
estimation of, with dual-energy x-ray absorptiometry, 49
Brain embolization
intraoperative, during total hip arthroplasty, 255 (ab), 260 (ab)
Brooker classification
for heterotopic ossification, 870
Brucellosis
septic loosening caused by, 384
Bupivacaine
single bolus injection of, efficacy of, 245 (ab)

Calcar deficient femoral components
trochanteric fixation with, 257 (ab)
Calcar prosthesis
titanium cementless, in femoral revision, 264 (ab)
Calcar replacement
follow-up study of, 250 (ab)
Caliper
for patellar thickness measurement, reliability and validity of, 105
Cam mechanism
role in posterior stabilized total knee arthroplasty, 258 (ab)
Carbon fiber hip prosthesis
press-fit, early failure of, 217
Carbon fiber plate
for periprosthetic supracondylar femoral fractures, 320
Cement
acrylic, antibiotic-loaded, 619
allergy to, preoperative identification of, 788
extruded, femoral neuropathy caused by, 516
for femoral component revision, 140, 325
femoral stem interface with, gaps at, and surface finish, 244 (ab)
intrapelvic, migration of, 382
intrusion of, viscosity effects of pressurization on, 244 (ab)
mixing of, effect on porosity, 569
remnants of, detection limits of, radiographic assessment of, 992
retrograde injection of, 505
tibial, pressurization of, 262 (ab)
Cement-bone interface
effect of cement insertion techniques on, 579
endosteal bone resorption at, induced by tumor necrosis factor, 248 (ab)
Cemented, polished, tapered (CPT) femoral stem
follow-up study of, 189
Cementing
insertion techniques, effect on bone-cement interface, 579
of patellar components, *versus* press-fitting, 20
of polyethylene liner, into fixed acetabular shell, 245 (ab)
retrograde injection of cement during, 505
technique, for total knee arthroplasty, 245 (ab)
Cementless arthroplasty
acetabular fixation in, 250 (ab)
hip
acetabular fixation in, 250 (ab)
acetabular stress fracture adjacent to, 117
Bi-Contact, 896
bilateral, *versus* cemented, 434
for bilateral pathologic hip fractures, 664
hemispherical spiked acetabular components in, 261 (ab)
in high congenital hip dislocation, 41
partial or full weight bearing ambulation after, 813
periprosthetic bone mineral density measurement in, 49
with proximally fixed modular femoral components, 258 (ab)
stem fracture in, 1021
with third-generation prosthesis, 841
using titanium components, 259 (ab), 584
knee
tissue around, wear particle analyses of, 121
using modular cobalt-chrome components, 253 (ab)
periprosthetic bone mineral density measurement in, 49

Cementless femoral stem
tapered, varus placement of, 463
Cement mantles
femoral stem stability in, 244 (ab)
Cement spacers, antibiotic-loaded, 619
versus acrylic block, 254 (ab)
construction of, 785
Mucoraceae infection of, 235
Rush pin technique for, 600
Cemlock plug, 576
Centralizer sizes
pre-determined, accuracy of, 245 (ab)
Centrifugation
cement mixing via, effect on porosity, 569
Ceramic bearings, alumina-on-alumina
for total hip arthroplasty, 390
Ceramic femoral head
traumatic fracture of, 503
Ceramic total knee prostheses
cementless, failure of, wear particle analyses of, 121
YMCK, in severe rheumatoid arthritis, 1009
Charnley Elite femoral stem, 997
Charnley total hip arthroplasty
femoral revision of, 325
low-friction, 675
in patients under fifty, long-term impact of, 240 (ab)
Chiari osteotomy
effect on subsequent total hip arthroplasty, 731
Chrome components, modular
for revision total knee arthroplasty, 253 (ab)
Chromium
serum levels of, in complex modular total hip arthroplasty, 893
Cilastatin-imipenem
vancomycin combined with, in acrylic bone cements, 619
Cobalt
serum levels of, in complex modular total hip arthroplasty, 893
Cobalt components, modular
for revision total knee arthroplasty, 253 (ab)
Coding
of diagnoses, comorbidities, and complications, in total knee arthroplasty, accuracy of, 767
Cold therapy, continuous-flow
after total knee arthroplasty, 718
Collarless femoral stem
cemented normalized, 240 (ab)
polished tapered, 189
Community hospitals
total hip arthroplasty in, outcome study of, 32
unicompartmental knee arthroplasty in, outcome study of, 293
Compression stockings, graduated, 446
Computer-based patient record
evaluation of, 247 (ab)
Computer placement
versus mechanical acetabular alignment guide, 359
Contact stresses
effect of acetabular liner design on, 256 (ab)
Cortical allograft struts
for supracondylar femoral fracture above total knee arthroplasty, 365
Corticocancellous allografts, impacted
for femoral component revision, 140
Cost effectiveness
and quality of life, after total hip arthroplasty, 263 (ab)
C-reactive protein
postoperative changes in, in rheumatoid arthritis patients, 108
Crosslinking
effect on polyethylene acetabular wear, 247 (ab)
Cryotherapy, continuous-flow
after total knee arthroplasty, 718

Data entry system, Palm Pilot, 248 (ab)
Débridement, one-stage
using hybrid frame, for infected total knee arthroplasty, 129
Deep flexion
in fixed and mobile bearing total knee arthroplasty, 243 (ab)
Deep vein thrombosis
after total knee arthroplasty, prophylaxis of, 251 (ab), 261 (ab)
asymptomatic, post-thrombotic syndrome after, 252 (ab)
Demineralized bone matrix (DBM) gel
effect on bone ingrowth and porous implant fixation, 402
Denham total knee arthroplasty
follow-up study of, 550
Dental antibiotics
and joint arthroplasty, 111
Diagnoses
in total knee arthroplasty, coding of, accuracy of, 767
Dislocation
hip (*See* Hip dislocation)
resistance to, of meniscal-bearing knee prosthesis, 475
Dual-energy x-ray absorptiometry
of periprosthetic bone mineral density, 49

EBRA-Digital software
for implant migration monitoring
precision of, 910
versus radiographic methods, 917
Endosteal bone resorption
at bone-cement interface, induced by tumor necrosis factor, 248 (ab)
Enoxaparin
for deep vein thrombosis prophylaxis, after total knee arthroplasty, 251 (ab)
Exchange impaction allografting
for femoral revision hip arthroplasty, 158
Exeter femoral stem, 826, 834, 997
Exposure
extensor mechanism tenolysis technique, 253 (ab)
patella inversion method for, in revision total knee arthroplasty, 101
Extensor mechanism function
effect of total knee prostheses design on, 416
Extensor mechanism tenolysis
exposure with, in revision total knee arthroplasty, 253 (ab)

Failure
of block allografts in revision total hip arthroplasty, 562
of cementless ceramic total knee prostheses, wear particle analyses of, 121
of ceramic femoral head, 503
of constrained acetabular liners, 259 (ab)
of fibular grafting, total hip arthroplasty following, 242 (ab)
fixation, of hydroxyapatite-coated screw cups, 851
of knee replacements, causes of, 241 (ab)
of locking mechanism, recurrent hip dislocation associated with, 507
of patellar component, popliteal cyst caused by, 792
of PMMA-precoated femoral component hip arthroplasty, 240 (ab)
polyethylene
caused by posterior femoral impingement, 524
removal and revision of acetabular components for, 262 (ab)
of polyethylene acetabular liners, revision for, 1055
of porous-coated anatomic cemented unicompartmental knee arthroplasty, 201
of press-fit carbon fiber hip prosthesis, 217
of reinserted short external rotator muscles, after total hip arthroplasty, 604
of rotating patella, osteolysis caused by, 1058
of total hip arthroplasty, modular component exchange for, success rate of, 864

of unicondylar implants, following gamma irradiation in air, 241 (ab)
Fat embolism
in revision total hip arthroplasty, 1063
Femoral artery catheterization, percutaneous
septic hip arthritis after, 1074
Femoral bone ingrowth arthroplasty
long term results of, 240 (ab)
Femoral components. *See also* Femoral stem
acetabular, cementless total hip arthroplasty using, 259 (ab)
calcar deficient, trochanteric fixation with, 257 (ab)
calcar replacement, follow-up study of, 250 (ab)
cemented, standard *versus* extended offset, 240 (ab)
cementless
plasma-sprayed hydroxyapatite/tricalcium phosphate on, 258 (ab)
proximally fixed modular, 258 (ab)
design of, and patellar clunk syndrome, 257 (ab)
grit-blasted, surface finish of, and interface gaps, 244 (ab)
PMMA-precoated, failure with, 240 (ab)
rotation of, during total knee arthroplasty, determination of, 264 (ab)
skirted head-neck, reduced usage of, by preoperative planning, 252 (ab)
stability of, effect of anteversion on, radiostereometric analysis of, 997
titanium, cementless, total hip arthroplasty using, 259 (ab)
versus cemented components, 584
Femoral fractures
fixation of, LISS *versus* intramedullary nail for, 876
normocalcemic primary hyperparathyroidism with, 805
periprosthetic
carbon fiber plate for, 320
femoral revision for, 250 (ab)
Vancouver type B2, treatment of, 887
supracondylar, above total knee arthroplasty, 365
Femoral head
ceramic, traumatic fracture of, 503
culture of, after hip arthroplasty, 355
osteonecrosis of
human immunodeficiency virus and, 135
limited femoral resurfacing for, outcome of, 257 (ab)
in solid organ transplantation patients, 242 (ab)
vascularized fibular grafting for, 242 (ab)
size of, and hip stability with elevated-rim acetabular liners, 289
Femoral impaction grafting
in revision hip arthroplasty with irradiated bone, 834
in severe bone loss, 256 (ab)
Femoral impingement
posterior, polyethylene failure caused by, 524
Femoral neck taper
in acetabular component revision, protection of, 497
Femoral neuropathy
caused by reinforcement ring malposition and extruded bone-cement, 516
Femoral offset
and reconstructed hip joint position, radiographic measurement of, 747
Femoral osteotomy
transverse, for femoral deformity, 245 (ab)
Femoral resurfacing
limited, for femoral head osteonecrosis, outcome of, 257 (ab)
Femoral revision
impaction grafting for, 325
corticocancellous, 140
exchange, 158
porous-coated, for severe bone loss, 955
titanium cementless calcar prosthesis in, 264 (ab)
Femoral rollback
early, effect on stair stepping, 723
in fixed and mobile bearing total knee arthroplasty, 243 (ab)
in NexGen posterior cruciate-retaining knee prostheses, 1040
Femoral shortening
in high congenital hip dislocation, 41
Femoral stem
anteversion of, and femoral component stability, 997
cemented
collarless normalized, 240 (ab)
high offset, early loosening of, 263 (ab)
titanium, 592
cement interface with, gaps at, and surface finish, 244 (ab)
cementless
Link Ribbed Stem (RS), hydroxyapatite coating of, 172
tapered, varus placement of, 463
collarless polished tapered (CPT), 189
excessive migration of, after impaction grafting, factors associated with, 826
Lübeck, fracture of, 1021
modular, for femoral deformity, 245 (ab)
stability of, in cement mantles, 244 (ab)
Femorotibial contact positions
for press-fit posterior stabilized and posterior-cruciate retaining total knee arthroplasties, 209
Fibular grafting
free-vascularized, failure of, total hip arthroplasty following, 242 (ab)
vascularized, for femoral head necrosis, 242 (ab)
Fixation
bone-prosthesis, estimation of, with dual-energy x-ray absorptiometry, 49
cementless acetabular, in revision hip surgery, 250 (ab)
failure of, with hydroxyapatite-coated screw cups, 851
of femoral fractures, LISS *versus* intramedullary nail for, 876
hybrid, for infected total knee arthroplasty, 129
implant, effect of demineralized bone matrix gel on, 402
internal, for supracondylar femoral fracture above total knee arthroplasty, 365
of NexGen HA-TCP-coated cementless screwless total knee arthroplasty, 449
of periprosthetic femoral fracture, LISS *versus* intramedullary nail for, 876
technique, and dislocation following revision total hip arthroplasty, 252 (ab)
trochanteric
after osteotomy in revision hip arthroplasty, 257 (ab)
in total hip arthroplasty, using S-ROM bolt and washer, 731
Fixation mode
of press-fit acetabular sockets, 926
Fixed platform knee prostheses
kinematics of, *versus* mobile bearing prostheses, 467
postoperative pain and function with, *versus* mobile bearing prostheses, 264 (ab)
Flexion contracture
in total knee arthroplasty, surgical correction of, 257 (ab)
Fluoroscopic analysis
of conforming cruciate-retaining primary knee replacement, 255 (ab)
of frontal plane kinematics, 257 (ab)
Follow-up care practice patterns
after total joint arthroplasty, 249 (ab)
Follow-up studies. *See* Outcome
Fondaparinux
for prevention of venous thromboembolism, 251 (ab)
Foot Pumps, venous impulse, 446
Fractures
femoral (*See* Femoral fractures)
greater trochanter, induced by osteolysis, 248 (ab), 706
hip, bilateral pathologic, cementless arthroplasty for, 664
normocalcemic primary hyperparathyroidism with, 805
stem, of Lübeck hip prostheses, 1021
stress, of acetabulum, 117
tibial, periprosthetic, associated with osteolysis, 1058
traumatic, of ceramic femoral head, 503

Functional status
after total knee arthroplasty, 967
importance to patients, 243 (ab)
with mobile *versus* fixed bearing, 264 (ab)
before total joint arthroplasty, gender and group differences in, 70

Gamma irradiation of polyethylene
effect on wear performance, 247 (ab)
failure of unicondylar implants following, 241 (ab)
Gaucher's disease
revision total hip arthroplasty with impaction grafting in, 667
Gender differences
in self-report and physical performance measures, before total joint arthroplasty, 70
Gentamicin
for infected total knee arthroplasty, acute renal failure after, 948
Glenoid components, retrieved
surface damage analysis of, classification system for, 95
Gonarthrosis
with severe tibial extra-articular deformity, correction of, 533
Graduated compression stockings, 446
Greater trochanter
fixation of, using S-ROM bolt and washer, 731
fractures of, induced by osteolysis with medullary locking prosthesis, 248 (ab), 706
Grit-blasted femoral components
surface finish of, and interface gaps, 244 (ab)
Groin pain
surgical release of iliopsoas tendon for, 779
GSB II total knee, 176

***Haemophilus parainfluenzae* infection**
complicating total hip arthroplasty, 114
Hand mixing of cement
effect on porosity, 569
Harris-Galante acetabular components
polyethylene liner dissociation in, 78
porous, locking mechanism failure in, 507
Head size
effect on polyethylene acetabular wear, 247 (ab)
Hemiarthroplasty, bipolar
in juvenile rheumatoid arthritis, 978
Hemoglobinometer
Hemocue portable, evaluation of, 224
Hemophilic arthropathy
total knee arthroplasty for, 241 (ab)
Heterotopic ossification
after total hip arthroplasty, classification of, 870
Hip
septic arthritis of, after percutaneous femoral artery catheterization, 1074
stability of, with elevated-rim acetabular liners, 289
Hip arthroplasty. *See also* Hip prostheses; *specific components or techniques*
for ankylosing spondylitis, 427
bilateral, cemented *versus* cementless, 434
cement insertion techniques in, 579
cementless (*See* Cementless arthroplasty, hip)
centralizer sizes in, pre-determined, accuracy of, 245 (ab)
death after, causes of, 274
delayed transient sciatic nerve palsy after, 379
dislocation after
factors predisposing to, 282
and fixation technique, 252 (ab)
and postoperative restrictions, 1006
disseminated osteosarcoma after, 373
excessive migration after, factors associated with, 826
failure of reinserted short external rotator muscles after, 604
fat embolism in, 1063
femoral head culture after, 355
femoral neck taper in, protection of, 497
femoral neuropathy after, 516
follow-up care practice patterns, 249 (ab)
in Gaucher's disease, 667
groin pain after, surgical release of iliopsoas tendon for, 779
heterotopic ossification after, classification of, 870
infected
antibiotic-loaded cement spacers for, 600, 785
Haemophilus parainfluenzae, 114
psoas abscess in, 230
intramedullary plugs in, 576
intraoperative brain embolization during, 255 (ab), 260 (ab)
with irradiated bone, femoral impaction grafting in, 834
lumbar plexus block for, 499
migration of intrapelvic cement after, 382
negative Trendelenburg sign after, reconstructed hip joint position and, 747
one-staged contralateral or ipsilateral, 528
for osteoarthritis, changing incidence of, 267
for osteonecrosis, following failed fibular grafting, 242 (ab)
outcome of (*See* Outcome)
patient expectation and satisfaction in, 457
perioperative blood salvage for, *versus* blood predonation, 298, 1079 *(letter)*
positioning in
lateral, pelvic stabilization during, 347
vertical acetabular, with inclinometer, 936
postoperative neuropsychologic dysfunction after, 255 (ab), 260 (ab)
preoperative pain assessment in, 262 (ab)
primary elective, mortality, morbidity, and outcome of, 165
retrograde injection of cement during, 505
for rheumatoid arthritis, postoperative C-reactive protein changes after, 108
safe screw placement in, 810 *(letter)*
self-report and physical performance measures before, gender and group differences in, 70
septic loosening of, caused by brucellosis, 384
sexual activity following, 249 (ab)
for sickle cell disease, 441
subsequent, effect of Chiari osteotomy on, 731
in teaching and community hospitals, complications and short-term outcomes associated with, 32
unstable, modular component exchange for, success rate of, 864
warfarin-induced skin necrosis after, 1070
wear rate and osteolysis in, 649
Hip capsule ligaments
mechanical properties of, 82
Hip dislocation
after total hip arthroplasty
factors predisposing to, 282
and fixation technique, 252 (ab)
and postoperative restrictions, 1006
high congenital, femoral shortening and cementless arthroplasty in, 41
recurrent
associated with locking mechanism failure, 507
surgical treatment of, 259 (ab)
Hip fractures
bilateral pathologic, cementless arthroplasty for, 664
Hip instability
recurrent, constrained tripolar socket for, 252 (ab)
Hip joint position
reconstructed, and negative Trendelenburg sign, 747
Hip prostheses
carbon fiber, press-fit, early failure of, 217
Lübeck, stem fracture of, 1021
medullary locking, osteolysis with, greater trochanter fractures induced by, 248 (ab), 706
porous-coated, follow-up study of, 856
third-generation, cementless arthroplasty with, 841

Histology
of impaction grafting, 150
of tissue around cementless ceramic knee prostheses, in wear particle analyses, 121
HIV sero-positive patients, total joint arthroplasty in, 254 (ab)
Hospital for Special Surgery (HSS) score, 556
Human immunodeficiency virus
and femoral head osteonecrosis, 135
Hybrid frame
one-stage débridement using, for infected total knee arthroplasty, 129
Hydroxyapatite (HA) coating
in ABG total hip arthroplasty, in young patients, 184
of acetabular cups, and aseptic loosening, 519
versus hydroxyapatite tricalcium-phosphate coating, 902
and performance of Link RS cementless femoral stem, 172
of screw cups, and fixation failure, 851
thickness of, effect on implant shear strength, 304
Hydroxyapatite-tricalcium phosphate (HA-TCP) coating
versus hydroxyapatite coating, 902
plasma-sprayed, on cementless femoral components, 258 (ab)
of total knee prostheses, 449
Hyperparathyroidism
normocalcemic primary, with fractures, 805
Hypotension, regional
for blood loss management, in high risk total hip arthroplasty, 262 (ab)

Iliopsoas tendon release
for groin pain, 779
Iliotibial band release
effect on knee joint stability, 246 (ab)
Imipenem-cilastatin
vancomycin combined with, in acrylic bone cements, 619
Impact biomechanics
during insertion of press-fit acetabular cups, 349
Impaction grafting
for acetabular bone loss, 251 (ab)
corticocancellous, 140, 325
excessive migration after, factors associated with, 826
exchange, 158
femoral
with irradiated bone, 834
in severe bone loss, 256 (ab)
in Gaucher's disease, 667
histology of, 150
Implant fixation
effect of demineralized bone matrix gel on, 402
and micromotion of modular tibial inserts, 265 (ab)
in unicompartmental knee arthroplasty, accuracy of, 1016
Implant migration monitoring
EBRA-Digital software for precision of, 910
versus radiographic methods, 917
Implant shear strength
effect of substrate roughness and hydroxyapatite coating thickness on, 304
Inclinometer
vertical acetabular positioning with, 936
Infection
antibiotic-impregnated cement spacers for (*See* Cement spacers, antibiotic-loaded)
Brucella melitensis, septic loosening caused by, 384
clinical outcome of, 608
delayed aspiration for, significance of, 615
femoral head culture of, 355
gentamicin for, acute renal failure after, 948
Haemophilus parainfluenzae, 114
hip, arthritis caused by, after percutaneous femoral artery catheterization, 1074
Mucoraceae, of antibiotic-loaded cement spacers, 235
multiple stage treatment of, 254 (ab)
one-stage débridement and knee fusion for, 129
prior, total knee arthroplasty after, 260 (ab)
psoas abscess in, 230
with resistant organisms, and success of treatment, 254 (ab)
Insall-Burstein II Knee, 544
versus Bisurface knee, 627
Internal fixation
for supracondylar femoral fracture above knee arthroplasty, 365
Internet site documentation center
for outcome studies, 248 (ab)
Intramedullary nail
supracondylar retrograde-inserted, *versus* Less Invasive Stabilization System, 876
Intramedullary plugs
in cemented total hip arthroplasty, 576
Intramedullary stems
hybrid, in revision knee arthroplasty, 260 (ab)
press-fit, and modular knee system, 261 (ab)
Irradiated bone
femoral impaction grafting in, 834

Japanese population
tibial anthropometry of, for knee prosthesis design, 1028
Joint arthroplasty. *See also* Hip arthroplasty; Knee arthroplasty; *specific type*
and dental antibiotics, 111
Hemocue portable hemoglobinometer after, evaluation of, 224
in HIV sero-positive patients, outcome study of, 254 (ab)
patients undergoing, sleep apnea syndrome in, 635
timing of, 263 (ab)
Joint line maintenance
in total knee arthroplasty, influence of posterior cruciate ligament in, 206

Kinematics. *See also* Biomechanics; Femoral rollback
of fixed platform *versus* mobile bearing prostheses, 467
frontal plane, fluoroscopic analysis of, 257 (ab)
of mobile bearing knee, 11
with posterior cruciate sacrifice *versus* substitution, 685
of NexGen posterior cruciate-retaining knee prostheses, 1040
patellar position and tibial axis in, 243 (ab)
of press-fit posterior stabilized and posterior-cruciate retaining knee arthroplasty, 209
of unicompartmental arthroplasty, 1049
Kinemax Plus system
all-polyethylene tibial component of, 196
Kinemax total knee arthroplasty, 90
Knee alignment
after total knee arthroplasty, 2
Knee arthroplasty. *See also* Knee prostheses; *specific component or technique*
for advanced hemophilic arthropathy, 241 (ab)
after prior infection, 260 (ab)
arterial occlusion after, 227
thrombectomy for, 670
bone cutting errors in, 698
cementless
periprosthetic bone mineral density measurement in, 49
tissue around, wear particle analyses of, 121
using modular cobalt-chrome components, 253 (ab)
cement technique for, 245 (ab)
coding of diagnoses, comorbidities, and complications in, accuracy of, 767
combined with one-stage tibial osteotomy, 533
continuous-flow cold therapy after, 718
deep vein thrombosis after
post-thrombotic syndrome after, 252 (ab)
prophylaxis of, 251 (ab), 261 (ab)
Denham, 550

early rollback in, effect on stair stepping, 723
effect on blood flow to lower limb, 882
exposure in
extensor mechanism tenolysis technique, 253 (ab)
patella inversion method for, 101
failure of, causes of, 241 (ab)
femoral component rotation during, determination of, 264 (ab)
femoral fracture above, 365
femorotibial contact positions for, press-fit posterior stabilized *versus* posterior stabilized, 209
follow-up care practice patterns, 249 (ab)
frontal plane kinematics in, fluoroscopic analysis of, 257 (ab)
functional status after, 967
importance to patients, 243 (ab)
with mobile *versus* fixed bearing, 264 (ab)
infected
clinical outcome of, 608
delayed aspiration for, significance of, 615
gentamicin for, acute renal failure after, 948
joint line maintenance in, influence of posterior cruciate ligament in, 206
low-contact-stress, failure of rotating patella in, osteolysis caused by, 1058
in nonagenarians, 681
one-staged contralateral or ipsilateral, 528
for osteoarthritis, changing incidence of, 267
outcome of (*See* Outcome)
patella baja after, 66
patellar fracture during, treatment of, 1066
patellar osteonecrosis and prosthetic extrusion after, 662
patellar thickness measurement during, new caliper for, reliability and validity of, 105
patellar tracking after, factors affecting, 942
patient expectations for, 263 (ab)
in patients over fifty, 538
perfect balance in, 2
perioperative blood salvage for, *versus* blood predonation, 298, 1079 *(letter)*
results of, influence of patellar thickness on, 56
rofecoxib administered before, 26
self-report and physical performance measures before, gender and group differences in, 70
in severe rheumatoid arthritis, 1009
soft tissue balancing in, 255 (ab)
stiff, revision of, 409
tibial surface strain in, effect of varus tibial alignment on, 1033
unicompartmental (*See* Unicompartmental knee arthroplasty)

Knee fusion
using hybrid frame, for infected arthroplasty, 129

Knee prostheses
alumina ceramic, in severe rheumatoid arthritis, 1009
cementless ceramic, tissue around, wear particle analyses of, 121
cobalt-chromium, revision with, 253 (ab)
design of
anthropometry for, 1028
effect on extensor mechanism function, 416
extrusion of, and patellar osteonecrosis, 662
Insall-Burstein II, 544, 627
kinematics of, mobile bearing *versus* fixed platform, 467
meniscal-bearing, resistance to dislocation of, 475
mobile bearing (*See* Mobile bearing knee prostheses)
NexGen
HA-TCP-coated cementless, screwless, fixation of, 449
posterior cruciate-retaining, femoral rollback in, 1040
polyethylene wear
measurement of, 490
prediction of, 760
posterior-stabilizing (*See* Posterior-stabilizing designs)
screw migration from, 951

Knee stability
effect of lateral ligament release on, 246 (ab)
with meniscal-bearing knee prostheses, 475

Lateral collateral ligament release
effect on knee joint stability, 246 (ab)

Lateral position
total hip arthroplasty in, pelvic stabilization during, 347

Leg pain
with modular knee system and press-fit intramedullary stems, 261 (ab)

Less Invasive Stabilization System (LISS)
versus retrograde-inserted supracondylar intramedullary nail, 876

Letters to the Editor
Re: Comparison of Wear and Physical Properties of Silane Cross-Linked Polyethylene and Ultra-High Molecular Weight Polyethylene, 1078 *(letter)*
Re: Perioperative Blood Salvage as Alternative to Predonating Blood for Primary Total Knee and Hip Arthroplasty, 1079 *(letter)*
Re: Safe Screw Placement in Acetabular Revision Surgery, 810

Link Ribbed Stem (RS) cementless femoral stem
hydroxyapatite coating of, effect on performance, 172

Load transfer
of press-fit acetabular sockets, 926

Locking mechanism
failure of, recurrent hip dislocation associated with, 507

Loosening
aseptic, of 2 rim-fix hydroxyapatite-coated acetabular cups, 519
of bilateral cementless and cemented total hip arthroplasty, 434
early, of high offset cemented femoral stems, 263 (ab)
septic, of total hip arthroplasty, caused by brucellosis, 384

Low-frictional torque arthroplasty, Charnley, 675

Lübeck hip prosthesis
cementless spongy metal, stem fracture of, 1021

Lubinus SP-II prosthesis, 325

Lumbar block, paravertebral
for postoperative pain, 398

Lumbar plexus block
for total hip arthroplasty, 499

Lumbar spine
support of, during pelvic stabilization, 347

Macrophages, THP-1
particle stimulation of, 335

Mallory Head calcar replacement, 250 (ab)

Meniscal-bearing knee prostheses
resistance to dislocation of, 475

Mental health
and primary joint replacement outcome, 256 (ab)

Metal
acetabular components backed with, cemented, 241 (ab)
hybrid, in metal surface arthroplasty, 259 (ab)
in patellar component, fragmented dislodged, popliteal cyst caused by, 792

Metal detectors, airport
and metallic orthopedic implants, 62

Metastases
pathologic hip fractures from, cementless arthroplasty for, 664

Migration
excessive, in bone impaction revision hip surgery, factors associated with, 826
implant, monitoring of, EBRA-Digital software for, 910, 917
of intrapelvic cement, after total hip arthroplasty, 382
screw, from knee prostheses, 951

Mobile bearing knee prostheses
bearing surface of, roughness of, 713
and deep flexion and femoral rollback, 243 (ab)

kinematics of
versus fixed platform prostheses, 467
and posterior cruciate sacrifice *versus* substitution, 685
motion of, 11
allowing translation and rotation, 11
posterior-stabilizing, patello-femoral tracking with, 265 (ab)
postoperative pain and function with, *versus* fixed bearing, 264 (ab)
Modular components
exchange of, for treatment of unstable hip arthroplasty, success rate of, 864
femoral
for femoral deformity, 245 (ab)
proximally fixed cementless, total hip arthroplasty with, 258 (ab)
tibial insert
exchange of, implementation of, 253 (ab)
micromotion of, during gait cycle, 265 (ab)
Modular knee system
and press-fit intramedullary stems, 261 (ab)
Modular total hip arthroplasty, complex
cobalt and chromium levels in, 893
Morbidity
of primary elective total hip arthroplasty, 165
Morse-type tapers
strength of, factors affecting, 773
Mortality
after total hip arthroplasty
causes of, 274
primary elective, 165
Mucoraceae infections
of antibiotic-loaded cement spacers, 235

Neck geometry
and dislocation, following revision total hip arthroplasty, 252 (ab)
Neuropsychologic dysfunction
postoperative, after total hip arthroplasty, 255 (ab), 260 (ab)
NexGen knee prostheses
HA-TCP-coated cementless screwless, fixation of, 449
posterior cruciate-retaining, femoral rollback in, 1040
Nonsteroidal anti-inflammatory drugs (NSAIDs). *See specific drug*

Obesity
and total knee arthroplasty outcome, 315
Operative complications. *See also specific complication*
of total hip arthroplasty, in teaching and community hospitals, 32
Organ transplantation patients
femoral head osteonecrosis in, 242 (ab)
Osteoarthritis
Insall-Burstein II prosthesis in, 544
primary, total joint arthroplasty for, changing incidence of, 267
rofecoxib for, 26
with severe tibial extra-articular deformity, correction of, 533
Osteoclasts, HD-11EM
particle stimulation of, 335
Osteolysis
caused by rotating patella failure, periprosthetic tibial fracture associated with, 1058
in cemented modular posterior cruciate-substitution, 256 (ab)
with medullary locking prosthesis, greater trochanter fractures induced by, 248 (ab), 706
pattern of, and cementless metal-backed cups, 249 (ab)
polyethylene liner exchange for, 798
radiographic assessment of, variability in, 260 (ab), 752
retro-acetabular, and polyethylene access, 248 (ab), 256 (ab)
wear rate and, in total hip arthroplasty, 649

Osteonecrosis
femoral head
human immunodeficiency virus and, 135
limited femoral resurfacing for, 257 (ab)
in solid organ transplantation patients, 242 (ab)
vascularized fibular grafting for, 242 (ab)
patellar, after total knee arthroplasty, 662
Osteosarcoma, disseminated
after total hip arthroplasty, 373
Osteotomy
Chiari, effect on subsequent total hip arthroplasty, 731
extended trochanteric, radiographic assessment of, 250 (ab)
femoral, transverse, for femoral deformity, 245 (ab)
high tibial, varus deformity following, 243 (ab)
in revision hip arthroplasty, trochanteric fixation after, 257 (ab)
tibial, one-stage, total knee arthroplasty combined with, 533
Outcome
of ABG hip arthroplasty, in young patients, 184
of Bi-Contact cementless hip arthroplasty, 896
of bilateral cementless and cemented hip arthroplasty, 434
of bipolar hemiarthroplasty, in juvenile rheumatoid arthritis, 978
of calcar replacement, 250 (ab)
of Charnley hip arthroplasty, in patients under fifty, 240 (ab)
of Charnley low-friction hip arthroplasty, 675
of collarless cemented normalized femoral stem hip arthroplasty, 240 (ab)
of collarless polished tapered femoral stem hip arthroplasty, 189
of Denham knee arthroplasty, 550
of femoral and acetabular PCA ingrowth hip arthroplasty, 240 (ab)
functional (*See* Functional status)
of hip arthroplasty
in ankylosing spondylitis, 427
with block allografts, 562
with cemented metal backed acetabular components, 241 (ab)
with cementless acetabular fixation, 250 (ab)
comorbidities as predictors of, 264 (ab)
and femoral head culture, 355
following failed fibular grafting, 242 (ab)
and patient expectation, 457
quality of life and cost effectiveness, 263 (ab)
in teaching and community hospitals, 32
using cemented titanium femoral prosthesis, 592
using cementless titanium components, 259 (ab)
of hybrid metal on metal surface arthroplasty, 259 (ab)
of hydroxyapatite-coated screw cup fixation, 851
of impaction grafting for acetabular bone loss, 251 (ab)
of infected knee arthroplasty, 608
of isolated acetabular revision, 255 (ab)
of Kinemax Plus system all-polyethylene tibial component, 196
of knee arthroplasty
with all-polyethylene patellar components, 253 (ab)
coding of, accuracy of, 767
effect of ankle brachial pressure index and tourniquet use on, 312
effect of body weight on, 315
with GSB II knee, 176
for hemophilic arthropathy, 241 (ab)
influence of patellar thickness on, 56
with Insall-Burstein II prosthesis, in osteoarthritic knees, 544
in nonagenarians, 681
in patients over fifty, 538
using modular cobalt-chrome components, 253 (ab)
of limited femoral resurfacing for femoral head osteonecrosis, 257 (ab)

of one-staged contralateral or ipsilateral knee arthroplasty, 528
of plasma-sprayed titanium acetabular components, 259 (ab)
of porous-coated hip arthroplasty, 856
of posterior-retaining knee arthroplasty, 961
and polyethylene and modularity issues, 260 (ab), 987
versus posterior-stabilized, 813
of posterior-stabilized knee arthroplasty, 422
of posterior-substituting knee arthroplasty, press-fit condylar modular, 242 (ab)
of primary elective hip arthroplasty, 165
of primary joint replacement, mental health and, 256 (ab)
of stiff knee arthroplasty, 409
studies of, Internet site documentation center design for, 248 (ab)
of titanium cementless calcar prosthesis for femoral revision, 264 (ab)
of total joint arthroplasty
in HIV sero-positive patients, 254 (ab)
and timing issues, 263 (ab)
of unicompartmental knee arthroplasty, 556
in community hospital setting, 293
porous-coated anatomic cemented, 201
of varus placement of tapered cementless femoral stem, 463

Pain
groin, surgical release of iliopsoas tendon for, 779
perioperative, rofecoxib for, 26
postoperative
after mobile *versus* fixed bearing knee arthroplasty, 264 (ab)
bupivacaine for, efficacy of, 245 (ab)
paravertebral lumbar nerve block for, 398
preoperative, assessment of, in revision total hip arthroplasty, 262 (ab)
thigh/leg, with modular knee system and press-fit intramedullary stems, 261 (ab)
Palm Pilot data entry system, 248 (ab)
Particle stimulation
of macrophages and osteoclasts, 335
Patella
fracture of, intraoperative, treatment of, 1066
osteonecrosis of, after total knee arthroplasty, 662
position of, and tibial axis, in knee kinematics, 243 (ab)
rotating, failure of, osteolysis caused by, 1058
thickness of
measurement of, new caliper for, 105
and outcome of arthroplasty, 56
Patella baja
after total knee arthroplasty, 66
Patella inversion method
for exposure in revision total knee arthroplasty, 101
Patellar clunk syndrome, 257 (ab)
Patellar components
all-polyethylene, in revision arthroplasty, 253 (ab)
fragmented dislodged metal part of, popliteal cyst caused by, 792
implantation of, press-fit *versus* cement, 20
Patellar tracking
after total knee arthroplasty, factors affecting, 942
Patellofemoral complications
after posterior-stabilized arthroplasty, 422
Patellofemoral tracking
in posterior stabilized mobile bearing knee, 265 (ab)
Patient expectation/satisfaction
in revision hip arthroplasty, 457
in total knee arthroplasty, 263 (ab)
Patient record, computer-based
evaluation of, 247 (ab)
Pedometers, 693
Pelvis, stabilization of
during total hip arthroplasty, 347
Pentasaccharide
for prevention of venous thromboembolism, 251 (ab)
Percutaneous thrombus aspiration
for arterial occlusion, 227
Perineural catheter
lumbar plexus block with, 499
Physical performance measures
before total joint arthroplasty, gender and group differences in, 70
Plantar compression
for deep vein thrombosis prophylaxis, *versus* warfarin, 251 (ab)
Plasma spraying
of hydroxyapatite/tricalcium phosphate, 258 (ab)
of titanium acetabular components, 259 (ab)
Plugs, intramedullary
in cemented total hip arthroplasty, 576
PMA (4β-phorbol-12-myristate-13-acetate)
macrophages and osteoclasts stimulated by, 335
Polyethylene access
retro-acetabular osteolysis and, 248 (ab), 256 (ab)
Polyethylene components
acetabular
insertion of, acetabular preparation during, 782
removal and revision of, 262 (ab)
failure of, caused by posterior femoral impingement, 524
gamma irradiation of
effect on wear performance, 247 (ab)
failure of unicondylar implants following, 241 (ab)
and modularity issues, in posterior-cruciate retaining knees, 260 (ab), 987
patellar
implantation of, 20
in revision arthroplasty, 253 (ab)
retrieved, surface damage analysis of, classification system for, 95
tibial, of Kinemax Plus system, 196
ultra-high molecular weight, wear and physical properties of, *versus* silane cross-linked, 1078 *(letter)*
wear of (*See* Wear of polyethylene components)
Polyethylene cups, cemented
revision of acetabular liner failure with, 1055
Polyethylene liners
acetabular
cementation of, into fixed shell, 245 (ab)
with cemented polyethylene cup, 1055
dissociation of, in Harris-Galante components, 78
exchange of, for excessive wear and osteolysis, 798
thickness of, manual assessment of, 246 (ab)
Polymethylmethacrylate (PMMA) coating
of femoral components, failure with, 240 (ab)
Popliteal artery thrombosis
after total knee arthroplasty, management of, 227
Popliteal cyst
from fragmented dislodged metal part of patellar component, 792
Popliteal tendon release
effect on knee joint stability, 246 (ab)
Porosity, cement
effect of mixing technique on, 569
Porous coating
of anatomic hip prostheses, follow-up study of, 856
in cemented unicompartmental knee arthroplasty, early failure of, 201
Posterior capsule release
effect on knee joint stability, 246 (ab)
Posterior cruciate ligament
function of, in anteroposterior-gliding rotating platform arthroplasty, 484
influence on joint line maintenance, in primary arthroplasty, 206
sacrifice
effect on medial stability, 246 (ab)
versus substitution, kinematics of, 685
Posterior-retaining designs
and femoral rollback, 1040

femorotibial contact positions for, 209
fluoroscopic analysis of, 255 (ab)
follow-up study of, 260 (ab)
in modular arthroplasty, 961
polyethylene and modularity issues in, 961
versus posterior-stabilizing designs, 813
Posterior-stabilizing designs
mechanical comparison of, 627
outcome of, 422
patellofemoral complications after, 422
patellofemoral tracking with, 265 (ab)
posterior cruciate ligament sacrifice with, effect on medial stability, 246 (ab)
press-fit, femorotibial contact positions for, 209
versus retaining, 813
role of cam mechanism in, 258 (ab)
Posterior-substituting designs
cemented modular design, and osteolysis, 256 (ab)
press-fit condylar modular total knee system with, long-term survivorship, 242 (ab)
versus sacrifice, kinematics of, 685
Posterolateral corner capsule release
effect on knee joint stability, 246 (ab)
Postoperative pain
after mobile *versus* fixed bearing knee arthroplasty, 264 (ab)
bupivacaine for, efficacy of, 245 (ab)
paravertebral lumbar nerve block for, 398
Postoperative restrictions
and early dislocation after total hip arthroplasty, 1006
Post-thrombotic syndrome
after deep vein thrombosis, 252 (ab)
Preoperative pain
assessment of, in revision hip arthroplasty, 262 (ab)
Press-fit components
acetabular
insertion of, impact biomechanics during, 349
load transfer and fixation mode of, 926
carbon fiber, with smooth surface, early failure of, 217
for modular knee system
intramedullary stems in, 261 (ab)
with posterior-substituting design, long-term survivorship, 242 (ab)
patellar, *versus* cementing, 20
for posterior-stabilized knee, femorotibial contact positions for, 209
Pressurization
tibial cement, in total knee arthroplasty, 262 (ab)
viscosity effects on cement intrusion, 244 (ab)
Pseudo-patella baja
after total knee arthroplasty, 66
Psoas abscess
in infected total hip arthroplasty, 230

Quality of life
after total hip arthroplasty, 263 (ab)

Radiographic assessment
of cement remnants, detection limits, 992
of extended trochanteric osteotomy, 250 (ab)
of femoral offset and reconstructed hip joint position, 747
of hydroxyapatite-coated screw cup fixation failure, 851
implant migration monitoring with, *versus* EBRA-Digital software, 917
of osteolysis, variability in, 260 (ab), 752
Radiostereometric analysis
of effect of anteversion on femoral component stability, 997
of excessive migration, in bone impaction revision hip surgery, 826
polyethylene wear determination with, precision and accuracy of, 246 (ab)
Range of motion
effect of acetabular liner design on, 256 (ab)
with mobile *versus* fixed bearing knee arthroplasty, 264 (ab)
Recurvatum
in total knee arthroplasty, surgical correction of, 257 (ab)
Reinforcement ring
malposition of, femoral neuropathy caused by, 516
Resistant organisms
infection with, and success of infection treatment, 254 (ab)
Retrograde injection of cement, 505
Rheumatoid arthritis
juvenile, bipolar hemiarthroplasty in, 978
postoperative C-reactive protein changes in, after total hip arthroplasty, 108
severe, ceramic YMCK total knee arthroplasty in, 1009
Roentgen stereophotogrammatic analysis
of unicompartmental knee arthroplasty, 556
Rofecoxib
perioperative administration of, 26
Rotation
mobile bearing knee allowing, 11
Rotator muscles, short external
reinserted, failure of, 604
Rush pin technique
for temporary antibiotic-impregnated cement prosthesis, 600

Sciatic nerve block
for total hip arthroplasty, 499
Sciatic nerve palsy
delayed transient, 379
Screw cups
hydroxyapatite-coated, fixation failure of, 851
Screwless arthroplasty
fixation of, 449
Screw migration
from knee prostheses, 951
Screw placement
in acetabular revision surgery, 810 *(letter)*
Self-report measures
before total joint arthroplasty, gender and group differences in, 70
Septic arthritis of hip
after percutaneous femoral artery catheterization, 1074
Septic loosening
of total hip arthroplasty, caused by brucellosis, 384
Sexual activity
following total hip arthroplasty, 249 (ab)
Shear strength of implant
effect of substrate roughness and hydroxyapatite coating thickness on, 304
Shoulder arthroplasty
retrieved glenoid components from, surface damage analysis of, classification system for, 95
Sickle cell disease
simultaneous bilateral hip arthroplasty in, 441
Silane cross-linked polyethylene
wear and physical properties of, *versus* ultra-high molecular weight, 1078 *(letter)*
Skin necrosis
warfarin-induced, after total hip arthroplasty, 1070
Sleep apnea syndrome
in patients undergoing total joint arthroplasty, 635
Soft tissue balancing
in total knee arthroplasty, 255 (ab)
Software, EBRA-Digital
for implant migration monitoring
precision of, 910
versus radiographic methods, 917
Spacer blocks. *See* Cement spacers
S-ROM bolt and washer
trochanteric fixation using, 731
Stair stepping
effects of early rollback in, 723
Sterilization, gamma-irradiation
of polyethylene

effect on wear performance, 247 (ab)
failure of unicondylar implants following, 241 (ab)
Stiff total knee arthroplasty
revision of, 409
Stress fracture
of medial acetabulum, adjacent to cementless acetabular component, 117
Struts, cortical allograft
for femoral fracture above knee arthroplasty, 365
Substrate roughness
effect on implant shear strength, 304
Superoxide production
by macrophages and osteoclasts, 335
Surface damage analysis
of glenoid components, classification system for, 95
Surface finish
of cement mantles, and femoral stem stability, 244 (ab)
and femoral stem-cement interface gaps, 244 (ab)
of mobile bearing knee bearings, 713

Tapers, Morse-type
strength of, factors affecting, 773
Teaching hospitals
total hip arthroplasty in, complications and short-term outcomes associated with, 32
Templates, Kinemax, 90
Tensor/Balance device
in total knee arthroplasty, 2
Thackray plug, 576
Thigh pain
with modular knee system and press-fit intramedullary stems, 261 (ab)
Thrombectomy
for arterial graft occlusion, after total knee arthroplasty, 670
Tibia
periprosthetic fracture of, associated with rotating patella failure and osteolysis, 1058
surface strain, effect of varus tibial alignment on, 1033
varus alignment of, effect on proximal tibial surface strain, 1033
Tibial anthropometry
for knee prosthesis design, 1028
Tibial axis
and patellar position, in knee kinematics, 243 (ab)
Tibial cement pressurization
in total knee arthroplasty, 262 (ab)
Tibial components
all-polyethylene, of Kinemax Plus system, 196
modular insert
exchange of, implementation of, 253 (ab)
micromotion of, during gait cycle, 265 (ab)
and outcome in posterior-cruciate retaining knees, 260 (ab), 987
stability of, in unicompartmental knee arthroplasty, 556
Tibial osteotomy
high, recurrent varus deformity following, 243 (ab)
one-stage, total knee arthroplasty combined with, 533
Tibiofemoral compressive forces
measurement of, 258 (ab)
Titanium components
cementless total hip arthroplasty using, 259 (ab)
femoral, in hip arthroplasty, cemented, 592
versus cementless, 584
Tourniquet use
effect on knee arthroplasty outcome, 312
Translation
mobile bearing knee allowing, 11
Trauma
fracture of ceramic femoral head after, 503
Trendelenburg sign, negative
and reconstructed hip joint position, 747

Tripolar socket, constrained
for recurrent hip instability, 252 (ab)
Trochanteric fixation
in hip arthroplasty
after osteotomy, 257 (ab)
using S-ROM bolt and washer, 731
Trochanteric osteotomy
extended, radiographic evaluation of, 250 (ab)
Tumor necrosis factor
endosteal bone resorption induced by, 248 (ab)
Tumor necrosis factor-α
macrophages and osteoclasts stimulated by, 335

Unicompartmental knee arthroplasty
in community hospital setting, outcome study of, 293
implantation of, accuracy of, 1016
kinematics of, 1049
porous-coated anatomic cemented, early failure of, 201
Roentgen stereophotogrammatic analysis of, 556
Unicondylar implants
polyethylene failure of, following gamma irradiation in air, 241 (ab)

Vacuum mixing of cement
effect on porosity, 569
Vancomycin
combined with imipenem-cilastatin, in acrylic bone cements, 619
Vancouver type B2 femoral fractures
treatment of, algorithm for, 887
Varus deformity
following high tibial osteotomy, 243 (ab)
Varus placement
of tapered cementless femoral stem, 463
Varus tibial alignment
effect on proximal tibial surface strain, 1033
Venous impulse foot pumps, 446
Venous thromboembolism
prevention of, pentasaccharide for, 251 (ab)

Walking. *See also* Ambulation
assessment of, 693
micromotion of modular tibial inserts during, 265 (ab)
Warfarin
for deep vein thrombosis prophylaxis, 251 (ab), 261 (ab)
versus plantar compression, 251 (ab)
skin necrosis induced by, 1070
Wax shield
for metallic implants, and airport metal detectors, 62
Wear index
for prediction of polyethylene wear, 760
Wear of polyethylene components
effect of gamma-irradiation sterilization on, 247 (ab)
effect of head size and crosslinking on, 247 (ab)
liner exchange for, 798
measurement of, 490
prediction of, 760
radiostereometric analysis of, precision and accuracy of, 246 (ab)
silane cross-linked *versus* ultra-high molecular weight, 1078 *(letter)*
Wear particle analyses
of tissue around cementless ceramic knee prostheses, 121
Wear rate
and osteolysis, in total hip arthroplasty, 649

Ximelagatran
for venous thromboembolism prophylaxis, 261 (ab)

Yokohama Medical Ceramic Knee (YMCK), 1009

Zimmer Versys PMMA-coated femoral components
failure with, 240 (ab)

Author Index: Volume 17, 2002

Abiri, Alison, 887
Adam, Frank, 217
Adams, Mark C., 1055
Adler, Neil S., 820
Aglietti, P., 544
Agostini, Serge, 1049
Aguera-Gavalda, M., 384
Aiello, Terri, 251
Akagi, Masao, 627
Akizuki, Shaw, 449
Alfaro-Adrián, C., 997
Alfaro-Adrián, J., 997
Allan, D. B., 882
Allan, D. Gordon, 740
Allen, Matthew J., 248
Allman, James K., 240, 261
Al-Shawi, A. K., 320
Amjad, Maqsood, 251
Ammeen, Deborah J., 241
Amstutz, Harlan C., 259
Anderson, Dylan T., 11, 209, 685, 1040, 1049
Anderson, G. H., 320
Anderson, Michael J., 422
Anderton, S. M., 267
Andreoni, Stefano, 235
Andrews, Pamela, 117
Anzböck, W., 227
Appleby, David, 856
Archibeck, Michael J., 240, 250, 252, 258, 261
Argenson, Jean-Noël A., 1049
Arms, Steven W., 258
Arsht, Steven J., 241, 243, 254
Asayama, Isao, 747
Ashford, Frank, 349
Aşik, Mehmet, 41
Askew, M. J., 255
Aubaniac, Jean-Manuel, 1049
Ayers, David C., 244, 248

Bach, C., 505
Bach, Christian Michael, 615
Backstein, David, 1074
Badhe, Nitin P., 896
Bajaj, Sunil K., 550
Baldini, A., 544
Ball, R. Y., 373
Banks, Scott A., 243, 263
Bannister, Gordon, 189
Barcohana, Babak, 135
Barrack, Robert L., 117, 252, 253, 402, 600
Barrett, David S., 11
Bauer, Kenneth A., 251
Bauer, Thomas W., 121
Bawa, Maneesh, 767
Bayer, Jordi, 876
Bayers-Thering, Mary, 105, 992
Beard, J. D., 312
Beaule, Paul E., 259
Becker, David L., 422
Bellemans, Johan, 243
Belt, Eero A., 108
Benkö, T. ZS., 519
Berend, Keith R., 242, 1033
Berend, Michael E., 528, 782, 1033
Bergandi, Jason, 242
Berger, C., 227
Berger, Richard A., 250
Bergula, Arnie, 247
Berkowitz, S. D., 261
Bernasek, Thomas L., 258, 259, 262
Berry, Daniel J., 250
Bertin, Kim C., 1040
Beverland, David E., 382
Bevilacqua, Babette, 265
Beynnon, Bruce D., 243, 244
Biedermann, Rainer, 615
Bierbaum, Benjamin, 390
Bissett, Gina, 241
Blaha, J. David, 255
Blam, Oren G., 257
Blewitt, N., 90
Bocchi, Luigi, 619
Boeri, Cyril, 1016
Bogoch, Earl R., 398
Bong, Matthew R., 876
Bonomo, A., 893
Borbas, Catherine, 32
Börlin, Niclas, 246
Borrè, Silvio, 235
Bourgeault, Craig A., 773
Bourne, Michael H., 298
Bourne, Robert B., 20
Brabants, Karl A. M., 670
Bragdon, Charles R., 246
Bragonzoni, Laura, 556
Brand, Ronald, 826
Brander, Victoria, 240
Bremner, Barron R. B., 1070
Brockman, Kathleen J., 259
Brown, J. H. M., 1006
Brown, Thomas D., 245
Browne, Christopher, 245
Bruce, A. S. W., 312
Bruce, W., 304, 579
Bruce, W. J. M., 713
Brugo, Giovanni, 235
Buckenmaier, Chester C. III, 499
Burak, Corey, 252, 253
Burnett, Stephen, 813
Buttaro, M., 230
Buyea, Cathy M., 105
Buzzi, R., 544

Cain, S., 484, 713
Callaghan, John J., 240, 241, 245, 247, 250, 256, 260, 961
Camarata, David, 252, 261
Campbell, P., 114
Capello, William, 390
Casey, David J., 856
Catanzaro, Robert J., 259
Catterall, A., 731
Ceffa, Remo, 235, 619
Cerretani, Daniela, 619
Cervieri, Christina L., 242
Chao, Edmund Y., 467
Chapman-Sheath, P., 484, 713
Chen, Han-Shiang, 608
Chen, Peter C., 247, 256
Cheng, Edward Y., 242
Chilvers, Margaret, 740
Christensen, Cecil, 643
Christensen, Christian P., 409
Chung, W. K., 713
Churchill, David L., 243, 244
Clark, Jeffrey A., 1070
Claus, Alexandra M., 248, 249, 706
Coene, Napoleon J. E. M., 576
Cohen, A., 114
Colleary, Gary, 382
Collier, John, 241
Colonna, D. M., 255, 260
Colwell, Clifford W., 256
Colwell, Clifford W., Jr., 245, 247, 258, 261
Conditt, Michael A., 243, 258, 262, 263, 265
Condon, Robert, 248
Cook, Stephen D., 402
Cooke, Christopher C., 259
Cope, M. R., 206
Copp, Steven N., 245, 261
Corolan, Gregory F., 251
Coughlin, Kathryn M., 243
Crawford, John J., 409
Crawford, R., 893

Crone, Malcolm D., 382
Crossett, Lawrence S., 251, 254, 569
Crownshield, Roy, 258
Currier, Barbara H., 241
Curry, Sean, 111

Dabis, H., 503
Dahm, Diane L., 249
D'Antonio, James, 390
Davidson, Andra, 135
Davidson, B. L., 261
Davy, Dwight T., 902
Dayton, Michael R., 244
dela Rosa, Mylene A., 416
Della Valle, Craig J., 785, 788
Delves, T., 893
Dennis, Douglas A., 11, 209, 257, 1040, 1049
Deshmukh, R. G., 315
Deshmukh, Rahul, 253
Devane, P. A., 579
DiCesare, Paul E., 876, 1055
DiGioia, Anthony M. III, 359
DiGiovanni, Christopher W., 569
Din, Robert, 184
D'Lima, Darryl D., 247, 256, 258
Doerzbacher, Jeff F., 176
Dong, Nick N., 252
Dorey, Frederick J., 693
Dorr, Lawrence D., 245, 779
Dossche, Lieven, 670
Draganich, Louis F., 723
Duffy, Gavan, 244
Dumbleton, John H., 649
Dunbar, Michael J., 20
Dungy, Danton S., 241, 243, 254
Dunn, Harold K., 262
Dunningham, Timothy H., 184
Duval, Nicolas, 936
Dykes, Daryll C., 967

Earll, Mark D., 864
Eastell, R., 910
Edidin, Avram A., 649
Edwards, J., 255
Egol, Kenneth A., 876
Eisler, T., 457
Elias, John J., 467
Ellis, Thomas J., 955
Elmstedt, E., 457
Elson, R. A., 910
Emerson, Caroline B., 584
Emerson, Roger, Jr., 254
Emerson, Roger H., Jr., 250, 257, 264, 584
Engel, A., 227
Engh, C. Anderson, Jr., 260, 752, 955
Engh, Charles A., 246, 247, 248, 249, 706
Engh, Charles A., Sr., 260, 752, 798, 955
Engh, Gerard A., 241
Erickson, Jill, 262
Eriksson, Bengh, 251
Esway, Jan Eric, 254
Etienne, Gracia, 257
Evans, Brian G., 254
Eygendaal, Denise, 576
Ezzet, Kace A., 240, 245

Fallar, Eileen, 635
Faris, Philip M., 528
Fehring, Thomas K., 101, 864
Feikes, J., 475
Fetzer, Gary B., 256, 260, 961
Fingeroth, Richard, 26
Fischer, M., 505
Fitzpatrick, Ray, 165
Flood, Shannon, 32
Fornara, Paolo, 235, 619
Forster, Mark C., 196
Francis, C. W., 261
Francis, Carolyn, 241
Frank, Josh, 252
Freund, M., 505
Friederich, Niklaus F., 524
Friedrichs, Matthew G., 298
Fujii, Masakazu, 1058
Fujisawa, Motoyuki, 747
Fukuoka, Yutaka, 490

Gallo, Robert, 242
Garino, J. P., 289
Garling, Eric H., 826
Gejo, Ryuichi, 449
Gelinas, Jill J., 1066
George, M. D., 667
Getty, C. J. M., 312
Ghisellini, Franco, 235, 619
Giammattei, Charles P., 248
Giammattei, Frank P., 248
Giannikas, Konstantinos A., 184
Gie, G. A., 562
Gill, Gurdev, 681
Gill, H. S., 997
Ginsberg, J. S., 261
Gioe, Terence J., 967
Giorgi, Giorgio, 619
Glisson, Richard R., 82, 1033
Glynn, Jason, 240
Gobel, Dietmar, 189
Goetz, Devon D., 240, 241, 250, 256, 260, 961
Goldberg, Victor M., 902
Golladay, Greg, 248
González Della Valle, Alejandro, 230, 870
Goodfellow, J., 475
Goodman, Stuart B., 78, 951
Gordon, Michael J., 263
Gower, A., 355
Gradisar, Ivan A., Jr., 255
Graham, Jove, 95
Grappiolo, Guido, 259
Graves, S. E., 267
Green, Gregory V., 1033
Gregg, Paul J., 165
Grelsamer, Ronald P., 66
Griffin, William L., 101, 864
Gromala, Terry, 32
Gross, Allan, 1074
Guilak, Farshid, 82
Gunckle, Wayne, 293
Gunneson, Eunice, 242
Gunther, Stephen B., 95
Gustke, Kenneth A., 258, 259

Haas, Brian D., 257, 685
Haddad, F. S., 731
Haft, Geoffrey F., 245
Hagino, H., 49
Haines, Kathleen, 788
Hajat, Shakoor, 165
Hajner, Mary E., 209
Hallin, Gunnar, 140, 325
Hallstrom, Brian, 244
Halonen, P. J., 497
Hamanishi, Chiaki, 627
Hamer, A. J., 910
Hammer, Dietrich Stephan, 217
Hanssen, Arlen D., 260
Harding, I., 893
Hardinge, Kevin, 427
Harman, Melinda K., 263
Harris, William H., 117, 244, 246, 248
Harty, Leesa D., 1063
Harwood, David A., 251
Hashemi-Nejad, A., 731
Hauschka, Peter V., 335
Hauser, Diana, 248
Hayes, C., 347
Hayes, J. H., 315
Head, William C., 250, 257, 264, 584
Heal, J., 90
Healy, William L., 856
Hearn, T. C., 267
Heath, P., 379
Heaton, Kevin, 779
Heck, David A., 967
Hedley, Anthony K., 243
Heiner, Anneliese D., 245
Henke, Marjorie, 398
Hermida, Juan H., 247
Hernandez, Ruben, 262, 263, 264
Hernandez, Victor Hugo, 256, 263
Herrold, Amy A., 528
Hersche, O., 604
Hewitt, John D., 82
Higaki, Hidehiko, 760
Higgins, Linda L., 250, 254, 257, 264, 584
Hirakawa, Kazuo, 121
Hirano, Y., 49
Hodge, William Andrew, 243, 263
Hodgson, Antony J., 698
Hoeffel, Dan, 248
Hoff, William A., 1040
Holden, Douglas, 259
Hopper, Robert H., Jr., 247, 248, 249, 706
Hørlyck, Erik, 158
Horne, J. G., 579
Hoshino, Akiho, 490
Howard, Peter W., 196, 896
Howe, David, 254
Hozack, William J., 241, 252, 253, 257, 259
Hsu, Robert Wen-Wei, 792
Hsu, Wei-Hsiu, 792
Huang, Ting-Wen, 608
Huang, Tsung-Jen, 792
Hungerford, David S., 257, 538, 767
Hutchinson, J., 379
Hutchison, Carol, 1074

Iesaka, Kazuho, 876
Ilizaliturri, Victor M., Jr., 664
Ilyas, I., 441
Incavo, Stephen J., 243, 244
Indelli, P. F., 544
Ingram, Roland, 224
Inkpen, Kevin, 698
Iorio, Richard, 856
Ishida, Akimasa, 490
Ismaly, S. K., 265
Ivarsson, Ingemar, 172
Iwamoto, Yukihide, 760, 942

Jackson, Walter O., 693

Jacobs, Joshua J., 250
Jacobsson, Sven-Arne, 172
Jacoby, Sidney M., 253
Jacofsky, David, 249
James, L. A., 355
Jaramaz, Branislav, 359
Jellicoe, P. A., 114
Jenkinson, Richard J., 20
Jenny, Jean-Yves, 1016
Jergesen, Harry E., 135, 592
Jinno, Tetsuya, 902
Johnston, Richard C., 240, 241, 247, 250, 256
Jolles, B. M., 282
Jones, Lynne C., 767
Jordan, Louis R., 258
Jorgensen, Wendy B., 264
Joshi, Atul B., 427, 643, 681
Junick, Daniel J., 240
Junick, Daniel W., 252, 261

Kaarela, Kalevi, 108
Kadoya, Y., 1028
Kambe, Taichi, 747
Kamineni, S., 62
Kanamiya, Takeshi, 246
Kane, Robert L., 32
Kaneko, Motoharu, 1058
Kaplan, Kevin, 788
Karlen, Judson W., 592
Kärrholm, Johan, 246
Katsimihas, M., 379
Kauppi, Markku, 108
Kautiainen, Hannu, 108
Kavanaugh, Timothy S., 240, 252
Kawano, Tsutomu, 942
Keating, E. Michael, 528
Keenan, Jonathan, 987
Keener, Jay D., 240
Kelley, Scott S., 260, 961
Kennedy, Deborah, 70
Kessler, Craig M., 241, 254
Khalily, Cyna, 463, 664
Khanuja, Paul, 257
Kieckbusch, Travis, 422
Kilgus, Douglas J., 248, 254, 255, 256, 260
Kim, Young-Hoo, 434, 841
King, R., 347
Kishida, Yuki, 1021
Klein, G., 227
Klein, Robert, 252
Kloepper, Robert G., 261
Kobayashi, A., 1028
Koh, J. S. B., 56
Komistek, Richard D., 11, 209, 257, 685, 1040, 1049
Koralewicz, Lisa M., 955
Koshino, Tomihisa, 121, 1009
Kothari, Paresh, 196
Kovacevic, Nebojsa, 258
Kovacik, M. W., 255
Koval, Kenneth J., 876
Krackow, Ann Marie, 767
Krackow, Kenneth A., 105, 992
Krarup, Niels, 158
Krismer, Martin, 615
Kroeber, Markus, 349
Krushell, Robert, 26
Kumagai, Masaru, 467
Kummer, Frederick J., 876, 1055

LaBarca, Richard S., 359
Lai, M., 289
Laiho, Kari, 108
Lange, A., 227
Langer, Todd, 1040
Lannin, John, 78
La Palombara, Pier Francesco, 556
Lassen, Michael R., 251
Latham, J. B., 373
Lavernia, Carlos J., 256, 259, 262, 263, 264
Learmonth, I. D., 834
LeDuff, Michel, 259
Lee, B. P. H., 56
Lee, Chang Woo, 538
Lee, Gwo-Chin, 260
Lee, Jonathan, 643
Lee, Kam-Fui, 792
Lee, M. B., 834
Legge, S., 62
Lehto, Matti U.K., 108
Lennon, William C., 538
Lester, D. Kevin, 463, 664
Leung, Nicky, 240
Levison, Timothy J., 359
Lewallen, David, 250
Lewallen, David G., 249
Lewis, Randall J., 241, 254
Leyvraz, P.-F., 282
Li, Stephen, 569
Lieberman, Jay R., 261
Lind, Martin, 158
Lionberger, D. R., 243
Little, Bryan, 240
Liu, Steve S., 241
Lo, N. N., 56
Lonner, Jess H., 252, 253
Loreti, Ivano, 556
Lotke, Paul A., 252, 253, 261
Lotz, Jeff, 349
Lozynsky, Andrew, 244
Lubinus, Philipp, 245

Ma, Benjamin, 254
Maca, Cielo, 635
Macaulay, William, 569
MacDonald, Steven J., 20
Maciolek, Holly, 26
Mackenzie, Terence, 398
Madanagopal, Sudhakar, 992
Mäenpää, Heikii, 108
Mahomed, Nizar N., 398
Mahoney, Ormonde M., 416
Majewski, Martin, 524
Malchau, Henrik, 246
Maloney, William J., 255
Manfredi, Jack, 257
Mangaleshkar, Singu R., 550
Mangar, Devnand, 262
Manley, Michael T., 390, 649
Mann, C. J., 851
Mann, Kenneth, 244
Manuel, J. C., 255, 260
Maqsood, Mohammad, 662
Marcacci, Maurilio, 556
Mariani, E. Marc, 298
Markovic, Ljubisa, 427
Marston, Scott B., 242
Martell, John, 723
Martin, Scott, 978
Mason, J. Bohannon, 101, 864
Mâsse, Benoît, 936
Mathews, Vasilio, 251
Matsuda, Shuichi, 942
Mattessich, Stephen M., 467
Mawatari, Taro, 760, 942
Mayr, E., 505
McAuley, James P., 955
McCaul, K. A., 267
McClung, Christian D., 416
McCoy, Thomas, 864
McGovern, Thomas F., 241
McGraw, Robert W., 698
McGuire, Kevin, 252
McLardy-Smith, P., 893, 997
McLaughlin, Barbara, 32
McLean, C. R., 503
McNally, S., 851
McPherron, Anthony A., 262
Mears, Simon C., 767
Meding, John B., 528
Meere, Patrick A., 785
Mencia, M. M., 201
Mihalko, William M., 246
Mikkelsen, Søren, 158
Miller, Mark, 244
Mintz, Douglas N., 870
Mitchell, Isaac, 467
Miura, Hiromasa, 760, 942
Miyawaki, Hideo, 516
Mizuno, Yasayuki, 467
Mochida, Yuichi, 121
Mohamed, Khadeeja, 967
Mohr, R. Alexander, 261
Mok, D., 503
Mont, Michael A., 253, 257, 538, 767
Moody, James E., Jr., 359
Moody, Wayne A., 264
Moore, John R., 240, 252, 261
Morberg, P., 304, 484
Moreau, P., 441
Moro-Oka, Takaaki, 760, 942
Morris, Beverly A., 245, 258, 261
Morris, Nora, 32
Morris, P., 484
Morris, Richard W., 165
Morscher, E. W., 926
Morsi, Elsayed, 718
Muirhead-Allwood, S. K., 731
Muncie, Michael, 254
Murakami, Teruo, 760
Murphy, John C. M., 427
Murphy, Jose A., 245
Murphy, Stephen S., 245, 251
Murray, D., 475, 893
Murray, David W., 165, 997

Nadaud, M. C., 255
Nagamine, Ryuji, 942
Naidu, Sanjiv H., 242
Naito, Masatoshi, 246, 747
Nakamura, K., 49
Nakamura, Takashi, 246, 627
Nakanishi, Yoshitaka, 760
Nanu, A. M., 206
Neginhal, Vivek S., 259
Nelissen, Rob G. H. H., 826
Neri, Laura, 619
Ng, Yeung, 224
Nikou, Constantinos, 359
Nilsen, Stephen M., 499
Nilsson, Olle, 140, 325
Nishii, Takashi, 1021
Noble, Phillip C., 243, 258, 262, 263, 265
Nogler, Michael, 505, 615
Noorpuri, Billy Singh Welbeck, 662

Norris, Tom R., 95
Northcut, Eric J., 685, 1049
Norton, M., 562
Nozaki, Hiroyuki, 243

Obrant, K. J., 150
O'Brien, B. S., 206
O'Connor, J. J., 475
Odum, Susan, 101, 864
Ohashi, H., 1028
Ohzono, Kenji, 1021
Okamoto, Renzo, 1009
Okano, T., 49
Oksa, J., 497
Older, John, 675
Olin, Matthew D., 409
Olschewski, Eli, 398
Ong, Bernard C., 785
Orishimo, Karl F., 247, 798
O'Rourke, Michael R., 256
Orozco, Fabio, 259
Ortega-Andreu, M., 384
Otsuka, T., 49

Paavolainen, Pekka, 274
Pagnano, Mark W., 260
Pagura, Sonia M. C., 70
Paiement, Guy D., 135
Pajamäki, K. J. J., 497
Palm, Lars, 172
Pandit, Hemant, 446
Paprosky, Wayne G., 255
Paquelet, S. E., 255
Paravic, Victor, 262
Pardo, L., 240
Parikh, Shital N., 635
Parrish, William M., 251
Parsley, Brian S., 263, 265
Patil, S., 882
Patron, Laura P., 402
Pavone, Vito, 870
Pearse, M. F., 667
Pedersen, Douglas R., 241, 250
Pellegrini, Vincent D., Jr., 242, 251
Penenberg, Brad L., 259
Pennock, Andrew T., 773
Perez, Oliver, 257
Perincheif, Rebecca, 246
Perkins, Thomas R., 293
Peter, G. R., 261
Peters, Christopher L., 261, 262, 507
Peters, Paul C., 251
Peters, Paul C., Jr., 252
Peterson, Margaret G. E., 569
Pfautsch, Steffen, 217
Phillipon, Mark, 259
Phillips, Hugh, 111
Phillips, Matthew, 105
Phillips, Nicholas J., 917
Picard, Frederic, 359
Piccaluga, F., 230
Pinder, I. M., 315
Piotrowski, G. A., 723
Plakseychuk, Anton Y., 359
Plaskos, Christopher, 698
Pöll, Ruud G., 826
Pollock, David C., 246, 260, 752
Pottenger, L. A., 723
Prakash, D., 347
Prasad, P. S. V., 373
Prothero, D., 475
Pruitt, Lisa, 95
Psychoyios, V., 893
Pukkala, Eero, 274
Pulido, Pamela A., 245, 261
Pulkkinen, Pekka, 274
Puolakka, T. J. S., 497

Quin, R., 882
Quinnell, Richard C., 896

Race, Amos, 244
Radke, Juergen, 533
Radke, Stefan, 533
Rajadhyaksha, Amar D., 257, 767
Ranawat, Amar, 240
Ranawat, Chitranjan S., 240, 242, 245, 251, 259, 260, 265
Rasquinha, Vijay J., 240, 242, 245, 251, 259, 260, 265
Rauh, Michael A., 105, 992
Ravichandran, Ashwin, 967
Reddix, R., 263
Reden, Lianette M., 245, 261
Reeves, Barnaby C., 165
Reilly, Donald T., 243
Restrepo, Andres, 569
Reuben, Scott S., 26
Ries, Michael D., 95, 135, 349, 1066
Rigge, Marianne, 165
Ritter, Merrill A., 235, 528, 619, 782, 1063
Rnowitzky, Glen, 349
Roberts, S., 243
Robinson, D. E., 834
Rodriguez, Jose A., 240, 242, 244, 251, 259, 260, 265
Rodriguez-Merchan, E. C., 384
Rorabeck, Cecil H., 20, 252, 253
Rosenberg, Aaron G., 250
Rosenfeldt, Wolfgang, 584
Rothman, Richard H., 241, 252, 253, 257
Rubash, Harry E., 251
Ruddlesdin, C., 519

Sadiq, Sahzad, 184
Sadun, Alberto, 263, 264
Saeki, Kazuhiko, 246
Saito, Tomoyuki, 121, 1009
Sakai, Takashi, 1021
Sakaura, Hironobu, 1058
Saleh, Khaled J., 569, 967
Saleh, Raied M., 967
Salkeld, Samantha L., 402
Salonia Ruzo, Patricio, 870
Salvati, Eduardo A., 569, 870
Sampson, Madeleine, 11
Santiago-Martin, Z., 519
Sawadsky, Joseph P., 251
Schenck, Russell, 258
Schmalzried, Thomas P., 416, 693
Schmidt, Andrew H., 773
Schmidt, Robert, 255
Schoonmaker, Joanne, 248
Schurman, David J., 78, 951
Scott, Richard D., 209, 253, 978
Sekundiak, Todd, 245
Selzer, G., 519
Şener, Nadir, 41
Seow, K. H., 56
Shah, Steven N., 951
Shahane, Sunil, 260
Sharkey, Peter F., 241, 252, 253, 257
Shastri, Shani, 241, 252, 253
Shaw, James A., 243
Sheldon, Michael, 538
Shepherd, Eric F., 693
Shepperd, J. A. N., 851
Shewale, Sandeep, 446
Shin, Steven S., 785
Siegel, Jamie E., 251
Sierra, Rafael, 256, 262, 263, 264
Siliski, John, 253
Silva, Mauricio, 693
Sinha, Rah J., 254
Skinner, P. W., 201
Skyrme, A. D., 201
Slamin, John, 258
Sledge, John B. III, 887
Smith, E., 379
Smith, E. J., 834
Smith, Karen, 813
Smith, S. P., 320
Soavi, Raffaella, 556
Somers, J. F. A., 562
Spotorno, Lorenzo, 259
Sprenger, Thomas R., 176
Springer, Bryan, 250
Stähelin, Thomas, 604
Stamper, B. A., 262
Steiger, David, 635
Steinbeck, Marla J., 335
Stiehl, James B., 257, 685
Stimpson, Anne, 165
Stitson, David James, 936
Stockley, Ian, 910, 917
Stratford, Paul W., 70
Stuchin, Steven A., 635
Stulberg, David, 240
Stump, D. A., 255, 260
Sturmer, Rosemarie, 615
Su, Edward T., 876
Sugamoto, Kazuomi, 1058
Sugano, Nobuhiko, 1021
Sulkin, T., 446
Sullivan, Charles L., 507
Sullivan, Patrick M., 240, 241, 250, 256, 260, 961
Sultan, P. G., 289
Suzuki, Yoshihiro, 349
Svehla, M., 304
Svensson, O., 457
Sychterz, Christi J., 246, 249, 260, 752, 798

Takagi, Haruki, 627
Takagi, Toshitaka, 1009
Takeuchi, Eiji, 1058
Takizawa, Tsutomu, 449
Talbot, N. J., 1006
Tan, S. K., 56
Tan, V., 289
Tani, Yoshitaka, 516
Tanzer, Michael, 813
Tarbox, Tiffera R., 254
Tavy, Denes L. J., 576
Taylor, E., 851
Taylor, R., 562
Teeny, Steven M., 249
Teli, Marco, 224
Templeton, Jesse E., 250, 260, 961
Tengström, A., 457
Teoh, H. H., 579
Terefenko, Kevin M., 798
Teshima, R., 49
Thomas, Andrew P., 550
Thompson, Neville W., 382
Thompson, Roby, 32

Thu, C., 258
Timperley, A. J., 562
Tipton, J., 248, 256
Tolo, Eric, 870
Tomita, Tetsuya, 1058
Tong, K. M., 731
Toomey, Sean D., 260, 752
Townsend, Christopher P., 258
Tözün, Remzi, 41
Trammell, Rita, 740
Travlos, J., 379
Treble, N. J., 1006
Tsigaris, Harold, 252, 253
Tuan, Rocky S., 335
Tucker, J. K., 373
Tullos, Hugh S., 258, 262
Turple, Alexander G. G., 251
Tweedie, Richard L., 967

Uehara, K., 1028
Ueo, Toyoji, 627
Ullmark, Gösta, 140, 150, 325
Unger, Anthony S., 241, 254
Urabe, Ken, 942
Urbaniak, James R., 242
Uroskie, Jonathan A., 244

Vagner, Gregg, 258
Vail, Thomas Parker, 82, 242, 409, 1033
Valdivia, Gonzalo G., 20
Valstar, Edward R., 826
Van Bowen, Jacob, 987
van Raaij, Tom M., 948
VanRyn, Jacques S., 129
Vejvoda, Hank, 740
Venditoli, Pascal-André, 936
Verebelyi, David M., 129
Verhaar, Jan A. N., 948
Vienne, P., 604
Visani, Andrea, 556
Visser, Cornelis P. J., 576
Visser, Loes E., 948
Visuri, Tuomo, 274
Vittetoe, D. A., 255
Vogt, Nancy, 251
Vulto, Arnold G., 948

Walker, Peter S., 11
Walker, Richard H., 261
Walsh, Heather, 569
Walsh, Marianne, 70
Walsh, W. R., 304, 484, 713
Wang, Ching-Jen, 365, 608, 805
Wang, Jun-Wen, 365, 608
Wang, Mark L., 335
Ware, H., 62
Warwick, David J., 446
Watanabe, Tetsu, 1058
Weale, A. E., 475
Webb, J. D., 467
Weber, Andrew B., 987
Webster, A. K., 261
Weeden, Steven H., 255
Weining, Gunnar, 524
Weiss, Jennifer M., 243, 263
Wells, V. M., 267
Werle, Jason, 78
Wessinger, Sara Jane, 248
Westermann, Kord, 217
Whipple, J. P., 261
White, Richard E., Jr., 240, 252, 258, 261
Whiteside, Leo A., 243, 246, 257
Widmer, K.-H., 926
Wigg, A. E. R., 267
Wilkinson, J. Mark, 910, 917
Williams, Olwen, 165
Wilson, Darrin S., 382
Wimmer, Cornelius, 505, 615
Winemaker, M. J., 2
Winkler, H., 227
Wixson, Richard L., 240
Woodhouse, Linda J., 70
Woolson, Steven T., 820
Worland, Richard L., 987
Wu, Po-Hui, 805

Xenos, John S., 499

Yamamoto, Kazuyoshi, 49, 1009
Yamano, Y., 1028
Yasgur, David, 209
Yates, Piers, 189
Yeo, S. J., 56
York, Sally C., 249
Yoshikawa, Hideki, 1021, 1058
Young, Anthony M., 260, 752
Yuan, Xunhua, 246
Yun, Andrew G., 978

Zangger, P., 282
Zicat, B., 304
Zuckerman, Joseph D., 788
Zurakowski, David, 978
Zurfluh, B., 926
Zweibel, Bruce, 262